

# **SAFETY DATA SHEET**

## **SECTION 1 – IDENTIFICATION OF SUBSTANCE AND COMPANY PREPARING INFORMATION**

**Identity:** Bumpy Doodles BD 2500-2511

**Code:**

**Uses:** Glaze for ceramic use

**Manufacturer's Name:** Gare Inc.,

**Address:** 165 Rosemont St., Haverhill, MA 01832

**Tel Phone:** 978-373-9131

**Emergency Tel:** Regional Poison Control Center

## **SECTION 2 - HAZARD IDENTIFICATION**

Mixture is considered non-hazardous. Contains small amounts of potential carcinogens: Crystalline silica (quartz) may be present (8-11% in product). A few pigments may contain a very small amount of bound cadmium (<.0.5%). Other ingredient present at 99% have unknown acute toxicity

## **SECTION 3 – COMPOSTION/INFORMATION ON INGREDIENTS**

Bumpy Doodles are non-hazardous water based mixtures of ceramic material containing non-leaded frits, clay, and other minerals and color pigments.

## **SECTION 4 – FIRST-AID MEASURES**

-----  
Inhalation: May cause irritation, remove from exposure.

Skin: May cause irritation, Wash skin with soap and water.

Eye: May cause irritation, Flush eyes with large quantities of water for at least 15 minutes. If irritation is present after washing, contact a physician.

Ingestion: Contact a physician

**SECTION 5 – FIRE-FIGHTING MEASURES**

---

Special Fire-Fighting Procedure – None  
Extinguishing Media – None

Unusual Fire or Explosion Hazards - None  
Hazardous Combustion Products - None

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Inhalation: May cause irritation, remove from exposure.  
Skin: May cause irritation, Wash skin with soap and water.  
Eye: May cause irritation, Flush eyes with large quantities of water for at least 15 minutes. If irritation is present after washing, contact a physician.  
Ingestion: Contact a physician

**SECTION 7 – HANDLING AND STORAGE**

---

When used according to the label directions and fired in a ceramic kiln they produce a glaze designs (glass like) finish on formed and bisqued.ceramic articles.

Precautions for safe handling: None  
Work Practices - None  
Procedures for Leaks or Spills - None

Procedure/Equipment - None  
Conditions for safe storage: None

**SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION**

Exposure Limits - These non-hazardous liquids are water based mixtures of ceramic material containing non-leaded frits, clay, silica and other minerals and color pigments.  
These mixtures have no TLV or PEL  
Engineer Control – Adequate ventilation (local exhaust) if sprayed  
Personal Protective Equipment - For spray application –eye protection and respirators and protective clothing such as aprons



**SECTION 13 – DISPOSAL INFORMATION**

Follow Local, State And Federal Regulations

**SECTION 14 – TRANSPORTATION INFORMATION**

UN Number - None  
UN Proper Shipping Name - None  
Transportation Hazard Class - NA  
Packing Group - None  
Environmental Hazard - None  
Special Precautions - None

**SECTION 15 --REGULATORY INFORMATION**

Silica, (quartz) and cadmium are listed by California Proposition 65  
Silica (quartz), and cadmium are listed on the IARC, OSHA, or NTP carcinogen list.  
SARA Section 313 – None  
See local requirements.  
Conforms to ASTM D 4236 This material has been evaluated under the provision of LHAMA (Labeling of hazardous art material act). This product is judged to be non-toxic and non-flammable under proposed use conditions. No special warning is required under the provisions of LHAMA or California Proposition 65

**SECTION 16 - OTHER INFORMATION**

**Date Prepared:** April 4, 2019

**Replaces SDS dated:** August 7, 2012